

Cloud Object Storage

Quick Start

Product Introduction



Tencent
Cloud

Copyright Notice

©2013-2017 Tencent Cloud. All rights reserved.

Copyright in this document is exclusively owned by Tencent Cloud. You must not reproduce, modify, copy or distribute in any way, in whole or in part, the contents of this document without Tencent Cloud's the prior written consent.

Trademark Notice



All trademarks associated with Tencent Cloud and its services are owned by Tencent Cloud Computing (Beijing) Company Limited and its affiliated companies. Trademarks of third parties referred to in this document are owned by their respective proprietors.

Service Statement

This document is intended to provide users with general information about Tencent Cloud's products and services only and does not form part of Tencent Cloud's terms and conditions. Tencent Cloud's products or services are subject to change. Specific products and services and the standards applicable to them are exclusively provided for in Tencent Cloud's applicable terms and conditions.

Contents

Documentation Legal Notice	2
Quick Start	4
Creating a Bucket.....	4
Uploading Objects	7
Downloading Objects	11
Deleting Buckets.....	13

Quick Start

Creating a Bucket

Creating a Bucket

After logging in to the console, you can create a Bucket through the COS console and you can customize the configurations of the Bucket.

Enter the COS console. Click Create a Bucket, then the console will pop up "Create a Bucket" dialog box:

Create bucket [X]

Name -1253702919
Bucket name must contain lowercase letters, numbers, and cannot be longer than 40 characters

Region [v]
Internal connect to other services within same region.

ACL ☒ private (read-write) ☐ public read & private write
private (read-write): need to verify your identity before do some operations on object

Endpoint Bucket name-1253702919.cos.ap-beijing.myqcloud.com
Request endpoint

OK Cancel

Note

- The limit of the Bucket is 200 (no geographical limitation). However, there is no limit to the number of directories and files under Bucket.
- Bucket is created under a project. A Bucket can only belong to one project, and users can switch the project.
- Bucket name supports the combination of lowercase letters and numbers, but it does not support special characters and underscores, and cannot exceed 40 bytes.
- In Tencent Cloud COS, the Bucket names under all projects with the same APPID must be

unique.

- Bucket provides two types of access permission by default: public read permission and private write permission, and private read/write permissions.
- When creating a Bucket, you can select the region, which cannot be modified once it is set up.

Click Create and you can see the created Bucket in the Bucket list page:

Bucket Name	Region	Date created	Actions
bucket01-1253702919	Shanghai (ap-shanghai)	2017-06-01T16:50:40Z	Objects Monitoring Delete
bucket02-1253702919	Shanghai (ap-shanghai)	2017-06-01T16:52:54Z	Objects Monitoring Delete
bucket03-1253702919	Shanghai (ap-shanghai)	2017-06-01T16:58:43Z	Objects Monitoring Delete

Multi-region and Access Domain

COS supports multi-region storage which is currently available in three regions including North China, South China, and East China. Different regions have different default access domains. We recommend users to choose the nearest storage region according to their own business scenarios to improve the upload and download speed.

Region	Region Abbreviation	Default Download Domain	Upload Domain	Status
South China	gz	[bucketname]-[appid].cosgz.myqcloud.com	gz.file.myqcloud.com	Launched
North China	tj	[bucketname]-[appid].costj.myqcloud.com	tj.file.myqcloud.com	Launched
East China	sh	[bucketname]-[appid].cossh.myqcloud.com	sh.file.myqcloud.com	Launched
Singapore	-	-	-	To be determined

Private Network Cross-Region Access: Different Tencent Cloud Services in different regions cannot be visited directly. If you need to achieve private network cross-region access (for example, CVM in

Guangzhou needs the data on Singapore COS), then you need to use VPC to deploy exclusive network tunnel to implement high-speed access. [Click to view more information about VPC](#)

Access Permission

Public read permission and private write permission: Anyone (including anonymous visitors) has read permission to the files in the Bucket, but only the Bucket creator and accounts with the appropriate permission have write permission to the files in the Bucket.

Private read/write permissions: Only the creator of the Bucket and accounts with the appropriate permissions have read and write permissions to the files in the Bucket, and no one else has read and write permissions to the files in the Bucket.


If you need to modify the Bucket permission later, you can modify it by using the console space attribute.

Uploading Objects

Uploading a File

Once you have created the Bucket, you can upload local files of any types to the Bucket. Each Bucket in COS supports an unlimited number of file storage. For single file upload, the maximum supported size is 50 G; and for single file storage, the maximum supported size is 500 G.

Enter the COS console, click the name of the Bucket to which you want to upload files, and go to the "File List" page of the Bucket:



The screenshot shows the COS console interface. On the left is a sidebar with navigation options: Overview, Bucket List (selected), Monitor Report, Task List, and API Key. The main area shows the 'Objects' tab for bucket '123456-1253725296'. It includes a search bar and a table of objects.

Object name	Size	Last modified	Actions
Cloud Virtual Machine ABC.xlsx	22.58KB	2017-10-09T01:53:59.000Z	Details Delete more ▾
Mobile Live Video Broadcastin...	12.28KB	2017-10-09T01:53:15.000Z	Details Delete more ▾
Video on Demand.xlsx	16.51KB	2017-10-09T01:53:59.000Z	Details Delete more ▾

Click Upload File on the page, then the dialog box for file uploading will pop up:

Choose

×

Select files or drag them into the box below.

Choose

 upload to
123456-1253725296/

Files (total0files)	Size	Actions
<div><div>unselect file/file folder</div><div>drag one or more files or file folders, and drop here the file must be less than 50GB in size.</div></div>		

Storage class ☒ Standard storage ☐ IA(Infrequent Access) Storage ☐
Nearline Storage

OK

Cancel

You can click Upload File or Upload Folder button to upload multiple local files or a folder. Dragging multiple files or folders for uploading is supported by some browsers. After the file has been selected to the list of files to be uploaded, you can still drag the file to the list area to upload it (the area below with a red frame):

Choose ×

Select files or drag them into the box below.

Choose

 upload to
123456-1253725296/

Files (total2files)	Size	Actions
About Billing.xlsx	11.39KB	Delete
Cloud Virtual Machine (2) (3).xlsx	22.58KB	Delete

Storage class ☒ Standard storage ☐ IA(Infrequent Access) Storage ☐ Nearline Storage

OK

Cancel

You can also select the folder to which you want to upload files on the file list page, or create a new folder where you can upload the Object.

Task Management


After you click OK, the corresponding upload tasks will be created in the task management list. Users can view the upload progress, terminate unfinished tasks, and check the reason for task failure in the task list.

COS	Task List 123456-1253725296 Document SDK reference API Reference Task List					
	Object name	Path	Size	Storage class	Upload status	Actions
	Video on Demand.xlsx	123456-1253725...	16.51KB	STANDARD	upload successfully	Delete log
	Cloud Virtual Machine ABC.xlsx	123456-1253725...	22.58KB	STANDARD	upload successfully	Delete log
	Mobile Live Video Broadcasting.xlsx	123456-1253725...	12.28KB	STANDARD	upload successfully	Delete log

Note: The maximum of 50 G for a single file is supported in the Console. Files more than 50 G will not be successfully uploaded. Besides, a folder whose name contains reserved words (please refer to the naming rule for folder creation) cannot be successfully uploaded either.

Upload Succeeded

After a file has been successfully uploaded under the current path, the page will display a refresh reminder. Users can click Refresh button to get the latest file list.



The screenshot shows the Tencent Cloud COS console interface. On the left is a sidebar with navigation options: Overview, Bucket List, Monitor Report, Task List, and API Key. The main area displays the 'Objects' tab for a specific bucket. At the top, there's a breadcrumb navigation: < return | 123456-1253725296. Below this are tabs for Objects, Basic Configuration, and Permission. The 'Objects' tab contains a '+ Choose' button, a 'Create folder' button, a search input field with the placeholder 'type a prefix to search', and a 'refresh' button highlighted with a red box. Below these is a table listing objects:

Object name	Size	Last modified	Actions
Cloud Virtual Machine ABC.xlsx	22.58KB	2017-10-09T01:53:59.000Z	Details Delete more ∨
Mobile Live Video Broadcastin...	12.28KB	2017-10-09T01:53:15.000Z	Details Delete more ∨
Video on Demand.xlsx	16.51KB	2017-10-09T01:53:59.000Z	Details Delete more ∨

Incomplete Files and Breakpoint Resume

Files that are suspended from upload will be stored in the form of "incomplete files". Users can view the information of "incomplete files", but cannot download, modify access permission or set custom permission. When users upload the same file next time, the upload will be automatically resumed from the breakpoint without the need to perform other operations.

Downloading Objects

Files that have been uploaded to the resource space Bucket can be accessed via the file address.



Enter the COS console, click the Bucket of the Object, and click File Information on the right side of the Object list:

The screenshot displays the Tencent Cloud COS console interface. On the left is a sidebar with navigation options: COS, Overview, Bucket List (selected), Monitor Report, Task List, and API Key. The main content area shows the 'Objects' tab for a specific bucket. At the top, there's a breadcrumb 'return | 123456-1253725296' and links for 'Document', 'SDK reference', and 'API Reference'. Below the tabs, there are buttons for '+ Choose' and 'Create folder', and a search bar with the placeholder 'type a prefix to search' and a 'refresh' button. A table lists the objects with columns for Object name, Size, Last modified, and Actions. The table contains three entries: 'Cloud Virtual Machine ABC.xlsx' (22.58KB), 'Mobile Live Video Broadcastin...' (12.28KB), and 'Video on Demand.xlsx' (16.51KB). Each entry has 'Details', 'Delete', and 'more' actions.

Object name	Size	Last modified	Actions
Cloud Virtual Machine ABC.xlsx	22.58KB	2017-10-09T01:53:59.000Z	Details Delete more ▾
Mobile Live Video Broadcastin...	12.28KB	2017-10-09T01:53:15.000Z	Details Delete more ▾
Video on Demand.xlsx	16.51KB	2017-10-09T01:53:59.000Z	Details Delete more ▾

Click the Copy Link button and paste the link to the browser address bar to download, or directly click the Download button:

Details×

Object name	Cloud Virtual Machine ABC.xlsx
Size	22.58KB
Storage class	Standard storage
Last Modified	Mon, 09 Oct 2017 01:53:59 GMT
ACL	private (read-write)
ETag	"39509482992fbc1f3a4aab845a56fbe4"
Link	http://123456-1253725296.cos.ap-beijing.myqcloud.com/Cloud Virtual Machine ABC.xlsx?sign=q-sign-algorithm%3Dsha1%26q-ak%3DAKIDBD8rMeXW6SZR4TsbJrGSVO5Y3UxKnmlW%26q-sign-time%3D1507515852%3B1507517652%26q-key-time%3D1507515852%3B1507517652%26q-header-list%3D%26q-url-param-list%3D%26q-signature%3D8033334b52e51effbb61ef4238c0ff65b7649217&token=de178c4c2bfbe66649f7f83b958656b3241df88e1&clientIP=59.37.125.70&clientUA=8ed31fc9-b3b4-40b1-b440-bac68c1ca614  

Close

Deleting Buckets

When you no longer need to use a Bucket, you can delete it. When deleting a Bucket, make sure that there are no files or directories in it, otherwise it cannot be deleted.

Enter the COS console and click Delete in the operation column on the right side of the Bucket to be deleted:



Click OK to delete the Bucket, and then the delete operation is completed.